

KODAK Audio Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Issue date: 17/11/2021 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Article
Product name : KODAK 500+ Ultra Wireless Earbuds with mic; KODAK 500+ Ultra Wireless headphones with mic

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use
Industrial/Professional use spec : Industrial
For professional use only
Use of the substance/mixture : batteries

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Registered Address:
Strand Europe Ltd, 3rd Floor
207 Regent Street, London, W1B 3HH
United Kingdom
T +44 (0) 1252 861000
sales@strandeurope.com

1.4. Emergency telephone number

Emergency number : For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night 1-800-424-9300 / +1 703-527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| | |
|--|------|
| Acute toxicity (oral), Category 4 | H302 |
| Skin corrosion/irritation, Category 2 | H315 |
| Serious eye damage/eye irritation, Category 2 | H319 |
| Skin sensitisation, Category 1 | H317 |
| Carcinogenicity, Category 1A | H350 |
| Reproductive toxicity, Category 2 | H361 |
| Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation | H335 |
| Specific target organ toxicity — Repeated exposure, Category 2 | H373 |

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

This product is not expected to cause a hazard however if the casing splits then the contents can cause significant hazards.
No labelling applicable

KODAK Audio Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|---------|--|
| Lithium Cobalt Oxide | CAS-No.: 12190-79-3 EC-No.: 235-362-0 | 20 – 40 | Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Carc. 1A, H350 Repr. 2, H361 |
| Graphite | CAS-No.: 7782-42-5 EC-No.: 231-955-3 | 10 – 20 | Eye Irrit. 2, H319 STOT SE 3, H335 |
| Copper (Cu) substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit | CAS-No.: 7440-50-8 EC-No.: 231-159-6 REACH-no: 01-2119480154-42-XXXX | 10 – 20 | Not classified |
| Aluminium (Al) substance with national workplace exposure limit(s) (GB) | CAS-No.: 7429-90-5 EC-No.: 231-072-3 EC Index-No.: 013-002-00-1 REACH-no: 01-2119529243-45 | 1 – 10 | Water-react. 2, H261 Flam. Sol. 1, H228 |
| Ethylene Carbonate | CAS-No.: 96-49-1 EC-No.: 202-510-0 | 1 – 10 | Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 STOT RE 2, H373 |
| Ethylmethyl Carbonate | CAS-No.: 623-53-0 EC-No.: 613-014-2 | 1 – 10 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |
| lithium hexafluorophosphate | CAS-No.: 21324-40-3 EC-No.: 244-334-7 | 1 – 10 | Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT RE 1, H372 |

Full text of H- and EUH-statements: see section 16

KODAK Audio Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTRE or doctor/physician. Call a POISON CENTER/doctor if you feel unwell. |
| First-aid measures after skin contact | : Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTRE or doctor/physician. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTRE or doctor/physician. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|---|
| Symptoms/effects | : This product is not expected to cause a hazard however if the casing splits then the contents can cause significant hazards. |
| Symptoms/effects after inhalation | : May cause respiratory irritation. |
| Symptoms/effects after skin contact | : Causes severe burns. |
| Symptoms/effects after eye contact | : Causes serious eye damage. |
| Symptoms/effects after ingestion | : Ingestion may cause nausea, vomiting and diarrhea. Swallowing a small quantity of this material will result in serious health hazard. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|------------------------------------|
| Suitable extinguishing media | : Dry powder. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Special hazards arising from the substance or mixture

| | |
|--|--|
| Fire hazard | : Heating may cause a fire or explosion. |
| Explosion hazard | : Heating may cause a fire or explosion. |
| Reactivity in case of fire | : Under fire conditions closed containers may rupture or explode. |
| Hazardous decomposition products in case of fire | : oxides of lithium. lithium hydroxide fumes. sulfur dioxide gas. Carbon oxides. |

KODAK Audio Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.3. Advice for firefighters

- | | |
|--------------------------------|--|
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid fire-fighting water entering the environment. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|------------------|-----------------------------------|
| General measures | : Evacuate unnecessary personnel. |
|------------------|-----------------------------------|

6.1.1. For non-emergency personnel

- | | |
|----------------------|-----------------------------------|
| Emergency procedures | : Evacuate unnecessary personnel. |
|----------------------|-----------------------------------|

6.1.2. For emergency responders

- | | |
|----------------------|---|
| Protective equipment | : Equip cleanup crew with proper protection. |
| Emergency procedures | : Evacuate unnecessary personnel. Stop leak if safe to do so. Mark out the contaminated area with signs and prevent access to unauthorized personnel. |

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| Methods for cleaning up | : On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials. |
|-------------------------|--|

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|---|
| Precautions for safe handling | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not breathe dust/fume/gas/mist/vapours/spray. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. |
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing before reuse. |

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|------------------------|---|
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Keep only in the original container in a cool, well ventilated place away from : Keep container tightly closed. |
| Incompatible products | : Strong bases. Strong acids. |
| Incompatible materials | : Direct sunlight. |

7.3. Specific end use(s)

No additional information available

KODAK Audio Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Copper (Cu) (7440-50-8) | |
|---|---|
| United Kingdom - Occupational Exposure Limits | |
| Local name | Copper |
| WEL TWA (OEL TWA) [1] | 0.2 mg/m ³ fume (as Cu) 1 mg/m ³ and compounds, dusts and mists (as Cu) |
| WEL STEL (OEL STEL) | 2 mg/m ³ and compounds, dusts and mists (as Cu) |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |
| Aluminium (Al) (7429-90-5) | |
| United Kingdom - Occupational Exposure Limits | |
| Local name | Aluminium |
| WEL TWA (OEL TWA) [1] | 2 mg/m ³ alkyl compounds 2 mg/m ³ salts, soluble 10 mg/m ³ metal, inhalable dust 4 mg/m ³ metal, respirable dust |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or face shield

KODAK Audio Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Eye protection | | | |
|----------------|----------------------|-----------------|----------|
| Type | Field of application | Characteristics | Standard |
| Safety goggles | | Clear | EN 166 |

8.2.2.2. Skin protection

Skin and body protection:
Wear suitable protective clothing

Hand protection:
Wear protective gloves.

| Hand protection | | | | | |
|-------------------|-------------------------|------------|----------------|-------------|------------|
| Type | Material | Permeation | Thickness (mm) | Penetration | Standard |
| Disposable gloves | Polyvinylchloride (PVC) | | | | EN ISO 374 |

8.2.2.3. Respiratory protection

Respiratory protection:
In case of inadequate ventilation wear respiratory protection.

8.2.2.4. Thermal hazards
No additional information available

8.2.3. Environmental exposure controls

Other information:
Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------|
| Physical state | : Solid |
| Colour | : black. |
| Odour | : Odourless. |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Non flammable. |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

KODAK Audio Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

KODAK 500+ Ultra Wireless Earbuds with mic; KODAK 500+ Ultra Wireless headphones with mic

| | |
|----------------|--------------------------|
| ATE CLP (oral) | 729.927 mg/kg bodyweight |
|----------------|--------------------------|

Copper (Cu) (7440-50-8)

| | |
|-----------------------|--|
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity), Guideline: other:MAFF 4200 (1985) |
| LC50 Inhalation - Rat | > 5.11 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method) |

Aluminium (Al) (7429-90-5)

| | |
|-----------------------|---|
| LD50 oral rat | > 15900 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| LC50 Inhalation - Rat | > 0.888 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) |

Ethylene Carbonate (96-49-1)

| | |
|---------------|---|
| LD50 oral rat | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: other:EPA FR, vol.50, No.188, 1985 |
|---------------|---|



Brand Licensee
KODAK Batteries
KODAK LED Bulbs
KODAK Headphones
KODAK LED Flashlights

The Kodak trademark, logo and trade dress are used under license from Kodak.
© 2021 STRAND EUROPE LTD.
www.kodakbatteries.strand europe.com

KODAK Audio Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|---|--|
| Ethylene Carbonate (96-49-1) | |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) |
| lithium hexafluorophosphate (21324-40-3) | |
| LD50 oral rat | 50 – 300 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity) |
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Additional information | : Based on available data, the classification criteria are not met |
| Germ cell mutagenicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Carcinogenicity | : May cause cancer. |
| Additional information | : Based on available data, the classification criteria are not met |
| Reproductive toxicity | : Suspected of damaging fertility or the unborn child. |
| Aluminium (Al) (7429-90-5) | |
| NOAEL (animal/male, F0/P) | 1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
| lithium hexafluorophosphate (21324-40-3) | |
| NOAEL (animal/male, F0/P) | 500 mg/kg bodyweight Animal: rat, Animal sex: male |
| STOT-single exposure | : May cause respiratory irritation. |
| Graphite (7782-42-5) | |
| STOT-single exposure | May cause respiratory irritation. |
| Ethylmethyl Carbonate (623-53-0) | |
| STOT-single exposure | May cause respiratory irritation. |
| STOT-repeated exposure | : May cause damage to organs through prolonged or repeated exposure. |
| Aluminium (Al) (7429-90-5) | |
| LOAEC (inhalation, rat,dust/mist/fume, 90 days) | 0.05 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) |
| Ethylene Carbonate (96-49-1) | |
| NOAEL (oral, rat, 90 days) | 150 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 452 (Chronic Toxicity Studies) |
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. |
| lithium hexafluorophosphate (21324-40-3) | |
| STOT-repeated exposure | Causes damage to organs through prolonged or repeated exposure. |
| Aspiration hazard | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Potential adverse human health effects and symptoms | : Based on available data, the classification criteria are not met |

KODAK Audio Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Not classified

| Aluminium (Al) (7429-90-5) | |
|--|--|
| LC50 - Fish [1] | > 100 mg/l |
| EC50 - Other aquatic organisms [1] | > 100 mg/l waterflea |
| EC50 - Other aquatic organisms [2] | > 100 mg/l |
| EC50 72h - Algae [1] | 1.05 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| EC50 72h - Algae [2] | 0.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| lithium hexafluorophosphate (21324-40-3) | |
| EC50 96h - Algae [1] | > 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| NOEC chronic fish | 4 mg/l Test organisms (species): Duration: '21 d' |

12.2. Persistence and degradability

| KODAK 500+ Ultra Wireless Earbuds with mic; KODAK 500+ Ultra Wireless headphones with mic | |
|---|------------------|
| Persistence and degradability | Not established. |

12.3. Bioaccumulative potential

| KODAK 500+ Ultra Wireless Earbuds with mic; KODAK 500+ Ultra Wireless headphones with mic | |
|---|------------------|
| Bioaccumulative potential | Not established. |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology - waste materials : Avoid release to the environment.






KODAK Audio Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|--|--|--|--|--|
| 14.1. UN number | | | | |
| UN 3481 | UN 3481 | UN 3481 | UN 3481 | UN 3481 |
| 14.2. UN proper shipping name | | | | |
| LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT | LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT | Lithium ion batteries contained in equipment | LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT | LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT |
| Transport document description (ADR) | | | | |
| UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT, 9A, (E) | UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT, 9 | UN 3481 Lithium ion batteries contained in equipment, 9A | UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT, 9A | UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT, 9A |
| 14.3. Transport hazard class(es) | | | | |
| 9A | 9 | 9A | 9A | 9A |
|  |  |  |  |  |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Dangerous for the environment: No | Dangerous for the environment: No Marine pollutant: No | Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

| | |
|-------------------------------|--|
| Classification code (ADR) | : M4 |
| Special provisions (ADR) | : 188, 230, 310, 348, 360, 376, 377, 387, 390, 670 |
| Limited quantities (ADR) | : 0 |
| Excepted quantities (ADR) | : E0 |
| Packing instructions (ADR) | : P903, P908, P909, P910, P911, LP903, LP904, LP905, LP906 |
| Transport category (ADR) | : 2 |
| Tunnel restriction code (ADR) | : E |
| EAC code | : 2Y |

Transport by sea

| | |
|-----------------------------|--|
| Special provisions (IMDG) | : 188, 230, 310, 348, 360, 376, 377, 384, 387 |
| Limited quantities (IMDG) | : 0 |
| Excepted quantities (IMDG) | : E0 |
| Packing instructions (IMDG) | : P903, P908, P909, P910, P911, LP903, LP904, LP905, LP906 |
| EmS-No. (Fire) | : F-A |
| EmS-No. (Spillage) | : S-I |
| Stowage category (IMDG) | : A |
| Stowage and handling (IMDG) | : SW19 |

KODAK Audio Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Properties and observations (IMDG) : Electrical batteries containing lithium ion encased in a rigid metallic body. Lithium ion batteries may also be shipped in, or packed with, equipment. Electrical lithium batteries may cause fire due to an explosive rupture of the body caused by improper construction or reaction with contaminants.

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : 967
PCA max net quantity (IATA) : 5kg
CAO packing instructions (IATA) : 967
CAO max net quantity (IATA) : 35kg
Special provisions (IATA) : A48, A88, A99, A154, A164, A181, A185, A206, A213, A220
ERG code (IATA) : 12FZ

Inland waterway transport

Classification code (ADN) : M4
Special provisions (ADN) : 188, 230, 310, 348, 360, 376, 377, 387, 390, 670
Limited quantities (ADN) : 0
Excepted quantities (ADN) : E0
Equipment required (ADN) : PP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M4
Special provisions (RID) : 188, 230, 310, 348, 360, _376, 377, 387, 390, 670
Limited quantities (RID) : 0
Excepted quantities (RID) : E0
Packing instructions (RID) : P903, 908, 909, P910, P911, LP903, LP904, LP905, LP906
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE2
Hazard identification number (RID) : 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance on the REACH candidate list

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out



Brand Licensee
KODAK Batteries
KODAK LED Bulbs
KODAK Flashlights
KODAK LED Flashlights

The Kodak trademark, logo and trade dress are used under license from Kodak.
© 2021 STRAND EUROPE LTD.
www.kodakbatteries.strandeurope.com

KODAK Audio Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Carc. 1A | Carcinogenicity, Category 1A |
| EUH208 | Contains Lithium Cobalt Oxide. May produce an allergic reaction. |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| Flam. Sol. 1 | Flammable solids, Category 1 |
| H226 | Flammable liquid and vapour. |
| H228 | Flammable solid. |
| H261 | In contact with water releases flammable gases. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H350 | May cause cancer. |
| H361 | Suspected of damaging fertility or the unborn child. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| Repr. 2 | Reproductive toxicity, Category 2 |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1, Sub-Category 1A |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| STOT RE 1 | Specific target organ toxicity — Repeated exposure, Category 1 |
| STOT RE 2 | Specific target organ toxicity — Repeated exposure, Category 2 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| Water-react. 2 | Substances and Mixtures which, in contact with water, emit flammable gases, Category 2 |

Safety Data Sheet (SDS), EU. This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.